

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 and Commission Regulation (EU) No. 2020/878

### SECTION 1 – PRODUCT IDENTIFICATION

**Product name:** Eyelash glue – Ultra Super

**Company identification:** Intersmart, s.r.o., Nekvasilova 692/27, 186 00, Prague 8.

Contact details: email: [info@smartlashes.eu](mailto:info@smartlashes.eu) website: [www.smartlashes.eu](http://www.smartlashes.eu)

**Use:** This product is for professional use only and must be handled exclusively by trained personnel. It is intended for bonding artificial eyelashes.

### SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredients:                                     | CAS No.   |
|--|-----------|
| Ethyl Cyanoacetate                               | 105-56-6  |
| Ethyl Cyanoacrylate                              | 7085-85-0 |
| Polymethyl Methacrylate                          | 9011-14-7 |
| Isocyanic acid, polymethylenepolyphenylene ester | 9016-87-9 |
| Aqua   | 7732-18-5 |
| CI 77266   | 133-86-4  |

### SECTION 3 – HAZARDS IDENTIFICATION

#### Classification in accordance with Regulation (EC) No 1272/2008

Hazard Classification: Ethyl Cyanoacrylate is classified as a hazardous substance under Regulation (EC) No. 1272/2008 (CLP). Due to its concentration in the formulation, the product as a whole is considered hazardous. Adverse effects associated with exposure to cyanoacrylate adhesives (CA) are more likely to occur in environments with low humidity and insufficient ventilation. It is understood that higher humidity promotes rapid

polymerization of free CA monomers, thereby reducing airborne concentrations. Therefore, this product must be used only in well-ventilated areas with adequate ambient humidity levels to minimize potential exposure.

Skin Irrit. 2, H315 (irritates the skin)

Eye Irrit. 2, H319 (causes serious eye irritation)

STOT SE 3, H335 (may cause respiratory tract irritation)

**Inhalation:** Vapors may cause headache, nausea and irritation of the nose, throat and lungs.

**Eyes:** Contact may cause serious eye irritation.

**Skin:** Contact of adhesive with skin may cause mild irritation.

**Ingestion:** May cause pain, nausea, vomiting, severe abdominal pain and diarrhea.

#### SECTION 4 – FIRST AID MEASURES

**General instructions:** In case of any uncertainty, the appearance of symptoms or any discomfort, seek medical advice and show this safety data sheet or the product with labels and box.

**Inhalation:** Move the affected person to fresh air, away from the danger area. If not breathing, perform artificial respiration. Seek medical attention immediately.

**Eye contact:** Open the eyelids, remove contact lenses, if necessary, rinse the affected eyes thoroughly with clean running water for at least 15 minutes. Then seek medical attention.

**Skin contact:** Remove contaminated clothing/shoes and carefully wipe excess adhesive from skin. Wash affected area with soap and water. If redness, itching or burning occurs, seek medical attention.

**Ingestion:** Seek medical attention immediately.

## SECTION 5 – FIRE-FIGHTING MEASURES

**Extinguishing media:** Use dry chemical, carbon dioxide (CO<sub>2</sub>), foam or spray according to the nature of the surrounding fire. Adapt the extinguishing method to the surrounding conditions. In the event of a fire, irritating, toxic and harmful combustion products may be produced. Inhalation of hazardous decomposition products of combustion may result in damage to health.

**Firefighting instructions:** Do not enter a closed or confined space without full protection, including self-contained breathing apparatus due to hazardous combustion products and oxygen deficiency. Cool products in closed containers that are in the vicinity of the fire. If possible, remove products in undamaged containers from the danger area. Store contaminated fire extinguishing water separately and draining into the sewer. Dispose of fire extinguishing water or used extinguishing agents together with fire residues in accordance with applicable regulations.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

**General instructions:** Ensure adequate ventilation of the affected area. Avoid contact with eyes, skin and clothing. Use personal protective equipment. Prevent unauthorized persons from handling.

**Small spills:** Prevent spillage from spreading. Contain and absorb with inert material, remove all liquid using industrial suction. Do not allow products to enter drains, surface or ground water or soil. In the event of a larger spill, follow local regulations and contact the relevant local authorities.

If the liquid cannot be removed, use liquid-binding material (sand, gravel, sawdust, universal binders, etc.) and place in suitable and labelled containers for proper disposal. Thoroughly wash the affected areas and the tools used with a suitable cleaning agent, without using solvents. Dispose of contaminated material as waste in accordance with the relevant regulations.

**Large leaks:** Use the same procedure as for small leaks.

## SECTION 7 – HANDLING AND STORAGE

**Precautions for safe handling:** Before use, it is necessary to read the safety data sheet.

Ensure adequate workplace ventilation. Avoid contact with skin or eyes. Avoid prolonged or repeated inhalation of vapors and aerosols. Do not ingest. Do not eat, drink, or smoke while using the product. When heated, the product may emit monomer vapors. During use, the relative humidity in the room should be increased to at least 50–60%. Follow the work procedures specified in the instructions for use. Keep away from sources of ignition and do not heat the product to temperatures near its flash point. Keep out of reach of children.

**Storage Requirements:** The product must be stored only in its original, tightly sealed containers. Opened containers must be carefully resealed and stored in an upright position to prevent leakage. Do not store near food, beverages, animal feed, or pharmaceuticals. Do not store together with strong oxidizing agents, acids, or alkalis. Keep out of reach of children and unauthorized personnel. Store in a dry, well-ventilated area. Protect from heat and direct sunlight. Protect from moisture and frost. Containers, even when emptied, may contain residual product vapors and must be disposed of in accordance with applicable regulations.

**Maximum Storage Temperature:** Do not store at temperatures above +25 °C.

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

**Technical measures:** Ensure adequate ventilation. This can be achieved by local exhaust ventilation of the working environment or by the general ventilation system of the building. If this is not sufficient to keep the concentration below the occupational exposure limit values, respiratory equipment must be worn for this purpose. This only applies if exposure limits are specified.

**Protective Clothing/Equipment:** The use of gloves impervious to the material is recommended to prevent skin contact and possible irritation. Wear tight-fitting safety goggles if splashing is possible. Respiratory protection is not required for normal use.

**Generally protective and hygienic measures:** The usual safety regulations for handling chemicals must be observed. Do not use nearby food, drink or animal feed. Remove soiled, soaked clothing immediately. Wash hands before breaks and after work. Avoid contact with skin and eyes.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

|                           |                              |
|---------------------------|------------------------------|
| State:                    | liquid                       |
| Color:                    | black                        |
| pH value:                 | not determined               |
| Odor:                     | characteristic               |
| Density:                  | not determined               |
| Melting point:            | not determined               |
| Boiling point:            | 100 °C                       |
| Autoignition temperature: | product is not self-igniting |

## SECTION 10 – STABILITY AND REACTIVITY

No reactivity is expected when stored and handled as prescribed (see Section 7).

No hazardous reactions are expected under normal conditions of use and storage.

Avoid contact with incompatible materials. Keep away from heat, open flames and sources of ignition.

**Incompatible materials:** Water, bases, acids, oxidizing agents, amines, alcohols.

**Hazardous decomposition products:** Thermal decomposition may produce acrylate monomers, carbon monoxide and carbon dioxide. Unidentified organic compounds may be formed in smoke and fumes during combustion.

**SECTION 11 – TOXICOLOGICAL INFORMATION**

**Toxicity:** Direct contact with skin may cause burns. Adheres immediately and strongly to skin. Irritating skin and eyes.

**Routes of exposure:** Inhalation (Yes), Skin (Yes), Ingestion (Yes)

**Carcinogenicity etc.:** See section 3.

**SECTION 12 – ECOLOGICAL INFORMATION**

No data available.

**SECTION 13 – DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Disposal:** Must not be disposed of together with household waste. Discharge into drains must be prevented. Dispose of product residues in accordance with local regulations in appropriate facilities as hazardous waste. For example, dispose of in suitable landfills or dispose in suitable waste incineration plants.

**SECTION 14 – TRANSPORT INFORMATION**

CLASS: Not listed

UN number: Not listed

**SECTION 15 – REGULATORY INFORMATION**

**CA Proposition 65:** There are no known chemicals listed in California Proposition 65.

Prague, 7. 9. 2015

